
015 K

RAW SEQUENCE LISTING ERROR REPORT



The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number: 09/852,903Source: 01/25Date Processed by STIC: 1/23/2002

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.
PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION QUESTIONS, PLEASE CONTACT MARK SPENCER, 703-308-4212.

FOR SEQUENCE RULES INTERPRETATION, PLEASE CONTACT ROBERT WAX, 703-308-4216. PAŢENTIN 2.1 e-mail help: patin21help@uspto.gov or phone 703-306-4119 (R. Wax) PATENTIN 3.0 e-mail help: patin3help@uspto.gov or phone 703-306-4119 (R. Wax)

TO **REDUCE** ERRORED SEQUENCE LISTINGS, **PLEASE** USE THE <u>CHECKER</u> <u>VERSION 3.1 PROGRAM</u>, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE: SEE BELOW FOR ADDRESS:

http://www.uspto.gov/web/offices/pac/checker

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility-that the disk/CD-Rom may have been affected by treatment given to all incoming mail. Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom, including:

- 1. EFS-Bio (http://www.uspto.gov/ebc/efs/downloads/documents.htm, EFS Submission User Manual ePAVE)
- 2. U.S. Patent and Trademark Office, Box Sequence, P.O. Box 2327, Arlington, VA 22202
- Hand Carry directly to:
 U.S. Patent and Trademark Office, Technology Center 1600, Reception Area, 7th Floor, Examiner Name,
 Sequence Information, Crystal Mall One, 1911 South Clark Street, Arlington, VA 22202
 - U.S. Patent and Trademark Office, Box Sequence, Customer Window, Lobby, Room 1B03, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202
- 4. Federal Express, United Parcel Service, or other delivery service to: U.S. Patent and Trademark Office, Box Sequence, Room 1B03-Mailroom, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202

Raw Sequence Listing Error Summary

ERROR DETECTED	SUGGESTED CORRECTION SERIAL NUMBER: <u>09/85</u> 2,903
ATTN: NEW RULES CASES	: PLEASE DISREGARD ENGLISH "ALPHA" HEADERS, WHICH WERE INSERTED BY PTO SOFTWARE
1Wrapped Nucleics Wrapped Aminos	The number/text at the end of each line "wrapped" down to the next line. This may occur if your file was retrieved in a word processor after creating it. Please adjust your right margin to .3; this will prevent "wrapping."
2Invalid Line Length	The rules require that a line not exceed 72 characters in length. This includes white spaces.
3Misaligned Amino Numbering	The numbering under each 5 th amino acid is misaligned. Do not use tab codes between numbers; use space characters, instead.
4Non-ASCII	The submitted file was not saved in ASCII(DOS) text, as required by the Sequence Rules. Please ensure your subsequent submission is saved in ASCII text.
5Variable Length	Sequence(s) contain n's or Xaa's representing more than one residue. Per Sequence Rules, each n or Xaa can only represent a single residue. Please present the maximum number of each residue having variable length and indicate in the <220>-<223> section that some may be missing.
6PatentIn 2.0 "bug"	A "bug" in PatentIn version 2.0 has caused the <220>-<223> section to be missing from amino acid sequences(s) Normally, PatentIn would automatically generate this section from the previously coded nucleic acid sequence. Please manually copy the relevant <220>-<223> section to the subsequent amino acid sequence. This applies to the mandatory <220>-<223> sections for Artificial or Unknown sequences.
7Skipped Sequences (OLD RULES)	Sequence(s) missing. If intentional, please insert the following lines for each skipped sequence: (2) INFORMATION FOR SEQ ID NO:X: (insert SEQ ID NO where "X" is shown) (i) SEQUENCE CHARACTERISTICS: (Do not insert any subheadings under this heading) (xi) SEQUENCE DESCRIPTION:SEQ ID NO:X: (insert SEQ ID NO where "X" is shown) This sequence is intentionally skipped
	Please also adjust the "(ii) NUMBER OF SEQUENCES:" response to include the skipped sequences.
8Skipped Sequences (NEW RULES)	Sequence(s) missing. If Intentional, please insert the following lines for each skipped sequence. <210> sequence id number <400> sequence id number 000
9Use of n's or Xaa's (NEW RULES)	Use of n's and/or Xaa's have been detected in the Sequence Listing. Per 1.823 of Sequence Rules, use of <220>-<223> is MANDATORY if n's or Xaa's are present. In <220> to <223> section, please explain location of n or Xaa, and which residue n or Xaa represents.
10Invalid <213> Response	Per 1.823 of Sequence Rules, the only valid <213> responses are: Unknown, Artificial Sequence, or scientific name (Genus/species). <220>-<223> section is required when <213> response is Unknown or is Artificial Sequence
11Use of <220>	Sequence(s) missing the <220> "Feature" and associated numeric identifiers and responses. Use of <220> to <223> is MANDATORY if <213> "Organism" response is "Artificial Sequence" or "Unknown." Please explain source of genetic material in <220> to <223> section. (See "Federal Register," 06/01/1998, Vol. 63, No. 104, pp. 29631-32) (Sec. 1.823 of Sequence Rules)
PatentIn 2.0 "bug"	Please do not use "Copy to Disk" function of PatentIn version 2.0. This causes a corrupted file, resulting in missing mandatory numeric identifiers and responses (as indicated on raw sequence listing). Instead, please use "File Manager" or any other manual means to copy file to floppy disk.
13Misuse of n	n can only be used to represent a single nucleotide in a nucleic acid sequence. N is not used to represent any value not specifically a nucleotide.

AMC/MH - Biotechnology Systems Branch - 08/21/2001



OIPE

RAW SEQUENCE LISTING DATE: 01/23/2002 PATENT APPLICATION: US/09/852,903 TIME: 11:21:51

Input Set : A:\2404637.diatech.assay.ST25.txt
Output Set: N:\CRF3\01232002\I852903.raw

			, (
	3	<110> APPLICANT: Diatech Pty. Ltd.	pp 1-5
		<120> TITLE OF INVENTION: An assay	- Al-+ Comply
		<130> FILE REFERENCE: 2404637/EJH	I MAS NOL COMPO
\		<140> CURRENT APPLICATION NUMBER: US/09/852,903	Corrected Diskette Needec
. X		<141> CURRENT FILING DATE: 2001-12-26	
		<150> PRIOR APPLICATION NUMBER: US 60/202,771	
		<151> PRIOR FILING DATE: 2000-05-09	
		<150> PRIOR APPLICATION NUMBER: US 60/202,559	
		<151> PRIOR FILING DATE: 2000-05-10	
	15	<160> NUMBER OF SEQ ID NOS: 38	
	19	<210> SEQ ID NO: 1 (Global ever)	
	20	<211> LENGTH: 21	00 H
	21	<212> TYPE: DNA / /2 M San Summar	n Sheel
	22	<213> ORGANISM: (primer) see June 10 000 (1000)	T.
	24	<170> SOFTWARE: PatentIn version 3.0 <210> SEQ ID NO: 1 <211> LENGTH: 21 <212> TYPE: DNA <213> ORGANISM: primer See item /o on Even Summan <400> SEQUENCE: 1	
	25	agataatcct tgaggtccct t	21
	28	<210> SEQ ID NO: 2	
	29	<211> LENGTH: 22	
		<212> TYPE: DNA	
		<213> ORGANISM: primer)	
		<400> SEQUENCE: 2	
	34	gcccaaagtc tgcctcccat tc	22
	37	<210> SEQ ID NO: 3	
		<211> LENGTH: 22	
		<212> TYPE: DNA	
		<213> ORGANISM: primer	
		<400> SEQUENCE: 3	
		cgaccctgga aaagctgatg aa	22
		<210> SEQ ID NO: 4	
		<211> LENGTH: 23	
		<212> TYPE: DNA	
		<213> ORGANISM: Offimer	
		<400> SEQUENCE: 4	23
		ctttggtcgg tgcagcggct cct	23
		<210> SEQ ID NO: 5 <211> LENGTH: 24	
	J/	<212> TYPE: DNA <213> ORGANISM primer	
		<400> SEQUENCE: 5	
		gccttcgagt ccctcaagtc cttc	24
		<210> SEQ ID NO: 6	4 T
		<211> LENGTH: 21	
	0.5	NELLY BENCHMA EL	

DATE: 01/23/2002 TIME: 11:21:52

PATENT APPLICATION: US/09/852,903

Input Set : A:\2404637.diatech.assay.ST25.txt
Output Set: N:\CRF3\01232002\1852903.raw

66 <212> TYPE: DNA 67 <213> ORGANISM primer 69 <400> SEQUENCE: 6	
70 cagcaacage egecacegee g	21
73 <210> SEQ ID NO: 7	
74 <211> LENGTH: 20	
75 <212> TYPE: DNA	
76 <213> ORGANISM primer	
78 <400> SEQUENCE: 7	
79 gattetgtga ttetacaace	20
82 <210> SEQ ID NO: 8	
83 <211> LENGTH: 20	
84 <212> TYPE: DNA	
85 <213> ORGANISM primer	
87 <400> SEQUENCE: 8	20
88 acccacagac ctcttcccac	20
91 <210> SEQ ID NO: 9	
92 <211> LENGTH: 16	
93 <212> TYPE: DNA	
94 <213> ORGANISM primer 96 <400> SEQUENCE: 9	
97 atccatccat ccatcc	16
100 <210> SEQ ID NO: 10	10
101 <211> LENGTH: 36	
102 <212> TYPE: DNA	
103 <213> ORGANISM, primer	
105 <400> SEQUENCE: 10	
106 atocatocat coatocatoc atocatocat coatoc	36
109 <210> SEQ ID NO: 11	
110 <211> LENGTH: 40	
111 <212> TYPE: DNA	
112 <213> ORGANISM: primer	
114 <400> SEQUENCE: 1I	
115 atccatccat.ccatccatcc atccatccat ccatccatcc	40
118 <210> SEQ ID NO: 12	
119 <211> LENGTH: 44	
120 <212> TYPE: DNA	
121 <213> ORGANISM primer	
123 <400> SEQUENCE: 12 124 atccatccat ccatccatcc atccatccatcc atcc	44
127 <210> SEQ ID NO: 13	44
127 <210 SEQ 15 NO. 13 128 <211> LENGTH: 48	
129 <212> TYPE: DNA	
130 <213> ORGANISM: primer	
132 <400> SEQUENCE: 13	
133 atocatocat coatocatoc atocatocat coatocatoc atocatoc	48
136 <210> SEQ ID NO: 14	
137 <211> LENGTH: 56	
138 <212> TYPE: DNA	

DATE: 01/23/2002 TIME: 11:21:52

PATENT APPLICATION: US/09/852,903

Input Set : A:\2404637.diatech.assay.ST25.txt
Output Set: N:\CRF3\01232002\I852903.raw

	<213> ORGANISM primer	
	<400> SEQUENCE: 14	F.C
	gattetgtga ttetacaace atceatecat ceatecatec atceatecat ceatec	56
	<210> SEQ ID NO: 15	
	<211> LENGTH: 64	
	<212> TYPE: DNA	
	<213> ORGANISM primer	
	<400> SEQUENCE: 15	60
	gattetgtga ttetacaace atecatecat ceatecatec atecatecat ceatecatec	60
	atcc	64
	<210> SEQ ID NO: 16	
	<211> LENGTH: 64	
	<212> TYPE: DNA	
	<213> ORGANISM primer	
	<400> SEQUENCE: 16	
	gattetgtga ttetacaace atecatecat ceatecatee atecatecat ceatecatee	60
	atcc	64
	<210> SEQ ID NO: 17	
	<211> LENGTH: 68	
	<212> TYPE: DNA	
	<213> ORGANISM: (primer)	
	<400> SEQUENCE: 17	
	gattetgtga ttetacaace atceatecat ceatecatee atceatecat ceatecatee	60
	atccatcc	68
	<210> SEQ ID NO: 18	
	<211> LENGTH: 22	
	<212> TYPE: DNA	
	<213> ORGANISM: primer	
	<400> SEQUENCE: 18	
	gcatttgctt acaaatatcc ta	22
187	<210> SEQ ID NO: 19	
	<211> LENGTH: 24	
	<212> TYPE: DNA	
	<213> ORGANISM primer	
	<400> SEQUENCE: 19	
193	ctttaaagga ggactggctt gtat	24
	<210> SEQ ID NO: 20	
197	<211> LENGTH: 2	
	<212> TYPE: DNA	
199	<213> ORGANISM. primer	
201	<400> SEQUENCE: 20	
202		2
205	<210> SEQ ID NO: 21	
	<211> LENGTH: 32	
	<212> TYPE: DNA	
	<213> ORGANISM primer	
	<400> SEQUENCE: 21	
	cacacacaca cacacacaca ca	32
214	<210> SEQ ID NO: 22	·

DATE: 01/23/2002 TIME: 11:21:52

PATENT APPLICATION: US/09/852,903

Input Set : A:\2404637.diatech.assay.ST25.txt

Output Set: N:\CRF3\01232002\1852903.raw

215	5 <211> LENGTH: 34	
216	6 <212> TYPE: DNA	
217	7 <213> ORGANISM primer	
219	9 <400> SEQUENCE: 22	
220	O cacacacaca cacacacaca cacacaca caca	34
223	3 <210> SEQ ID NO: 23	
224	4 <211> LENGTH: 36	
225	5 <212> TYPE: DNA	
226	6 <213> ORGANISM: primer	
228	8 <400> SEQUENCE: 23	
229	9 cacacacaca cacacacaca cacacaca cacaca	36
232	2 <210> SEQ ID NO: 24	
233	3 <211> LENGTH: 38	
234	4 <212> TYPE: DNA	
235	5 <213> ORGANISM: primer)	
	7 <400> SEQUENCE: 24	
	8 cacacacaca cacacacaca cacacaca cacacaca	38
241	1 <210> SEQ ID NO: 25	
242	2 <211> LENGTH: 40	
243	3 <212> TYPE: DNA	
244	4 <213> ORGANISM: Orimer)	
246	6 <400> SEQUENCE: 25	
	7 cacacacaca cacacacaca cacacacaca cacacacaca	40
250	0 <210> SEQ ID NO: 26	
251	1 <211> LENGTH: 42	
252	2 <212> TYPE: DNA	
	3 <213> ORGANISM: primer	
	5 <400> SEQUENCE: 26	
	6 cacacacaca cacacacaca cacacacaca cacacacaca ca	42
259	9 <210> SEQ ID NO: 27	
	0 <211> LENGTH: 44	
261	1 <212> TYPE: DNA	
	2 <213> ORGANISM: primer	
	4 <400> SEQUENCE: 27	
	5 cacacacaca cacacacaca cacacacaca cacacacaca caca	44
268	8 <210> SEQ ID NO: 28	
269	9 <211> LENGTH: 46	
270	0 <212> TYPE: DNA	
271	1 <213> ORGANISM: primer)	
	3 <400> SEQUENCE: 28	
	4 cacacacaca cacacacaca cacacacaca cacacaca cacaca	46
	7 <210> SEQ ID NO: 29	
	8 <211> LENGTH: 48	
279	9 <212> TYPE: DNA	
	0 <213> ORGANISM primer	
	2 <400> SEQUENCE: 29	
283	3 cacacacaca cacacacaca cacacacaca cacacaca cacacaca	48
	6 <210> SEQ ID NO: 30	
287	7 <211> LENGTH: 54	

DATE: 01/23/2002

PATENT APPLICATION: US/09/852,903

TIME: 11:21:52

Input Set : A:\2404637.diatech.assay.ST25.txt Output Set: N:\CRF3\01232002\1852903.raw

289 < 213	288	<212> TYPE: DNA				
2912 atttgcttac aaatatccta cacacacac cacacacac cacacaca				÷		
295 < 210 > SEO ID NO: 31 296 < 211 > LENGTH: 56 297 < 212 > TYPE: DNA 298 < 213	291	<400> SEQUENCE: 30				
295 < 210 > SEO ID NO: 31 296 < 211 > LENGTH: 56 297 < 212 > TYPE: DNA 298 < 213	292	atttgcttac aaatatccta cacacacaca ca	cacacaca	cacacacaca	caca	54
297 <212> TYPE: DNA 298 <213> ORGANISM Primer 300 <400> SEQUENCE: 31 301 atttgcttac aaatatccta cacacacac cacacacac cacacaca						
298 <213> ORGANISM Primer 300 <400> SEQUENCE: 31 301 atttgcttac aaatatccta cacacacaca cacacacaca cacacaca	296	<211> LENGTH: 56				
300 400> SEQUENCE: 31 301 atttgcttac aaatatccta cacacacac cacacaca cacacaca	297	<212> TYPE: DNA				
301 atttgcttac aaatatccta cacacacac cacacaca cacacaca	298	<213> ORGANISM (primer)				
304 <210> SEQ ID NO: 32 305 <211> LENGTH: 58 306 <212> TYPE: DNA 307 <213> ORGANISM Primer 309 <400> SEQUENCE: 32 310 atttgcttac aaatatccta cacacacac cacacaca cacacaca	300	<400> SEQUENCE: 31				
305 < 211> LENGTH: 58 306 < 212> TYPE: DNA 307 < 213> ORGANISM primer) 309 < 400> SEQUENCE: 32 310 atttgettac aaatatecta cacacacac cacacacac cacacacac cacacaca cacacaca 58 313 < 210> SEQ ID NO: 33 314 < 211> LENGTH: 60 315 < 212> TYPE: DNA 316 < 213> ORGANISM: primer) 318 < 400> SEQUENCE: 33 319 atttgettac aaatatecta cacacacaca cacacacac cacacacac cacacacac cacacacac cacacacaca 60 310 caca 60 311	301	atttgcttac aaatatccta cacacacaca ca	cacacaca	cacacacaca	cacaca	56
306 <212> TYPE: DNA 307 <213> ORGANISM primer 309 <400> SEQUENCE: 32 310 atttgcttac aaatatccta cacacacac cacacacac cacacaca						
307 <213> ORGANISM Primer 309 <400> SEQUENCE: 32 310 atttgcttac aaatatccta cacacacac cacacacac cacacaca	305	<211> LENGTH: 58				
309	306	<212> TYPE: DNA				
310 atttgettac aaatatecta cacacacac cacacaca cacacaca cacacaca	307	<213> ORGANISM primer				
313 <210> SEQ ID NO: 33 314 <211> LENGTH: 60 315 <212> TYPE: DNA 316 <213> ORGANISM: primer 318 <400> SEQUENCE: 33 319 atttgcttac aaatatccta cacacacac cacacacac cacacaca	309	<400> SEQUENCE: 32				
314 <211> LENGTH: 60 315 <212> TYPE: DNA 316 <213> ORGANISM: primer 318 <400> SEQUENCE: 33 319 atttgcttac aaatatccta cacacacac cacacacac cacacaca	310	atttgcttac aaatatccta cacacacaca ca	cacacaca	cacacacaca	cacacaca	58
315 <212> TYPE: DNA 316 <213> ORGANISM: primer 318 <400> SEQUENCE: 33 319 atttgcttac aaatatccta cacacacac cacacacac cacacaca	313	<210> SEQ ID NO: 33				
316 <213> ORGANISM: primer 318 <400> SEQUENCE: 33 319 atttgcttac aaatatccta cacacacac cacacacac cacacaca	314	<211> LENGTH: 60		7		
318 <400> SEQUENCE: 33 319 atttgcttac aaatatccta cacacacac cacacacac cacacaca	315	<212> TYPE: DNA				
319 atttgcttac aaatatccta cacacacac cacacacac cacacaca	316	<213> ORGANISM: primer				
322 <210> SEQ ID NO: 34 323 <211> LENGTH: 62 324 <212> TYPE: DNA 325 <213> ORGANISM: primer 327 <400> SEQUENCE: 34 328 atttgcttac aaatatccta cacacacac cacacacac cacacaca	318	<400> SEQUENCE: 33				
323 <211> LENGTH: 62 324 <212> TYPE: DNA 325 <213> ORGANISM: primer 327 <400> SEQUENCE: 34 328 atttgcttac aaatatccta cacacacac cacacacac cacacaca	319	atttgcttac aaatatccta cacacacaca cac	cacacaca	cacacacaca	cacacaca	60
324 <212> TYPE: DNA 325 <213> ORGANISM: primer 327 <400> SEQUENCE: 34 328 attgcttac aaatatccta cacacacaca cacacacac cacacaca						
325 <213> ORGANISM: primer 327 <400> SEQUENCE: 34 328 atttgcttac aaatatccta cacacacac cacacacac cacacaca	323	<211> LENGTH: 62				
327 <400> SEQUENCE: 34 328 atttgcttac aaatatccta cacacacac cacacacac cacacaca						
328 atttgcttac aaatatccta cacacacac cacacacac cacacaca	325	<213> ORGANISM: primer				
330 ca 331 <210> SEQ ID NO: 35 334 <211> LENGTH: 64 335 <212> TYPE: DNA 336 <213> ORGANISM primer 338 <400> SEQUENCE: 35 339 atttgcttac aaatatccta cacacacaca cacacacaca cacacaca	327	<400> SEQUENCE: 34				
333 <210> SEQ ID NO: 35 334 <211> LENGTH: 64 335 <212> TYPE: DNA 336 <213> ORGANISM primer 338 <400> SEQUENCE: 35 339 atttgcttac aaatatccta cacacacaca cacacacac cacacaca		-	cacacaca	cacacacaca	cacacaca	60
334 <211> LENGTH: 64 335 <212> TYPE: DNA 336 <213> ORGANISM primer 338 <400> SEQUENCE: 35 339 atttgcttac aaatatccta cacacacaca cacacacac cacacaca	330	ca				62
335 <212> TYPE: DNA 336 <213> ORGANISM primer 338 <400> SEQUENCE: 35 339 atttgcttac aaatatccta cacacacac cacacacac cacacaca	333	<210> SEQ ID NO: 35				•
336 <213> ORGANISM primer 338 <400> SEQUENCE: 35 339 atttgcttac aaatatccta cacacacaca cacacacaca cacacaca						
338 <400> SEQUENCE: 35 339 atttgcttac aaatatccta cacacacac cacacacac cacacaca						
339 atttgcttac aaatatccta cacacacac cacacacac cacacaca						
341 caca 344 <210> SEQ ID NO: 36 345 <211> LENGTH: 66 346 <212> TYPE: DNA 347 <213> ORGANISM primer 349 <400> SEQUENCE: 36 350 atttgettac aaatateeta cacacacaca cacacacaca cacacacaca 60 352 cacaca 355 <210> SEQ ID NO: 37 356 <211> LENGTH: 68 357 <212> TYPE: DNA 358 <213> ORGANISM primer 360 <400> SEQUENCE: 37						
344 <210> SEQ ID NO: 36 345 <211> LENGTH: 66 346 <212> TYPE: DNA 347 <213> ORGANISM primer 349 <400> SEQUENCE: 36 350 atttgettac aaatateeta cacacacaca cacacacaca cacacacaca cacacacaca 352 cacaca 355 <210> SEQ ID NO: 37 356 <211> LENGTH: 68 357 <212> TYPE: DNA 358 <213> ORGANISM primer 360 <400> SEQUENCE: 37		-	cacacaca	cacacacaca	cacacaca	60
345 <211> LENGTH: 66 346 <212> TYPE: DNA 347 <213> ORGANISM primer 349 <400> SEQUENCE: 36 350 atttgettac aaatateeta cacacacaca cacacacaca cacacacaca cacacacaca 60 352 cacaca 66 355 <210> SEQ ID NO: 37 356 <211> LENGTH: 68 357 <212> TYPE: DNA 358 <213> ORGANISM primer 360 <400> SEQUENCE: 37						64
346 <212> TYPE: DNA 347 <213> ORGANISM primer 349 <400> SEQUENCE: 36 350 atttgettac aaatateeta cacacacaca cacacacaca cacacacaca cacacacaca 60 352 cacaca 355 <210> SEQ ID NO: 37 356 <211> LENGTH: 68 357 <212> TYPE: DNA 358 <213> ORGANISM primer 360 <400> SEQUENCE: 37		•				
347 <213> ORGANISM primer 349 <400> SEQUENCE: 36 350 atttgettac aaatateeta cacacacaca cacacacaca cacacacaca cacacacaca 60 352 cacaca 66 355 <210> SEQ ID NO: 37 356 <211> LENGTH: 68 357 <212> TYPE: DNA 358 <213> ORGANISM primer 360 <400> SEQUENCE: 37						
349 <400> SEQUENCE: 36 350 atttgcttac aaatatccta cacacacac cacacacac cacacaca						
350 atttgcttac aaatatccta cacacacac cacacacac cacacaca						
352 cacaca 355 <210> SEQ ID NO: 37 356 <211> LENGTH: 68 357 <212> TYPE: DNA 358 <213> ORGANISM primer 360 <400> SEQUENCE: 37						
355 <210> SEQ ID NO: 37 356 <211> LENGTH: 68 357 <212> TYPE: DNA 358 <213> ORGANISM primer 360 <400> SEQUENCE: 37			cacacaca	cacacacaca	cacacacaca	
356 <211> LENGTH: 68 357 <212> TYPE: DNA 358 <213> ORGANISM primer 360 <400> SEQUENCE: 37						66
357 <212> TYPE: DNA 358 <213> ORGANISM primer 360 <400> SEQUENCE: 37						
358 <213> ORGANISM primer 360 <400> SEQUENCE: 37		and the same of th				
360 <400> SEQUENCE: 37		/ /				
					•	
301 alligeriae dadiatecta cacacacaca cacacacaca cacacacaca cacacacaca 60						<i>c</i> c
	30T	autigottae adatateeta cacacacaca cac	Jacacaca	cacacacaca	cacacacaca	bυ

Please correct this error in Seq. 38, if £2137 response is same as above

VERIFICATION SUMMARY

PATENT APPLICATION: US/09/852,903

DATE: 01/23/2002 TIME: 11:21:53

Input Set : A:\2404637.diatech.assay.ST25.txt
Output Set: N:\CRF3\01232002\1852903.raw

L:9 M:270 C: Current Application Number differs, Replaced Current Application No

L:9 M:271 C: Current Filing Date differs, Replaced Current Filing Date